

# CEPSA GEL 600

## DESCRIPTION

Low congealing point hydrogenated at high pressure footsoil wax. Meet FDA requirements for healthcare, pharmaceutical and cosmetics applications.

Product derived from petroleum via a carefully controlled refining process and hydrotreatment. Its main features are white colour and an intermediate value of viscosity. Product available in bulk.

#### **Product Identification:**

- Nº CAS: 92045-12-0
- Nº EINECS: 295-394-6

### **APPLICATIONS**

• Suitable for cosmetic and pharmaceutical industry (e.g.vaselines, coating formulation, etc)

# QUALITY LEVEL

Meets the following regulations:

· JECFA INS 905B	· FDA 21 CFR 172.886	· Ph. Eur.	· Colipa nº15

Substance registered under REACH (EC 1907/2006). Preregistered under KKDIK and UK REACH.

### **TECHNICAL CHARACTERISTICS**

CHARACTERISTIC	UNITS	METHOD	CEPSA GEL 600		
			Minimum	Typical	Maximum
Congealing Point	٥C	D 938	35		55
Oil	% (w/w)	D 721		35	
Cone penetration at 25°C	mm/10	D 937		90	
Flash Point COC	٥C	D 92	240		
Saybolt Colour	-	D 156/D 6045	+20	+25	
Odour	-	D 1833		0	1
Viscosity at 100°C	cSt	D 445		8.7	

#### **HEALTH & SAFETY AND ENVIRONMENT**

Health, safety and environmental information is provided for this product in the Materials Safety Data Sheet. This gives details of potential hazards, precautions and First Aid measures together with environmental effects and disposal of used products. (Enquiries: <u>tuteladeproducto@cepsa.com</u>)

Registration number REACH (Enquiries: tuteladeproducto@cepsa.com)

The typical values of the characteristics appearing in the table are average values given for guidance purposes. These values may be modified without any prior warning.

CEPSA Comercial Petróleo, S.A.U · Paseo de la Castellana, 259A · 28046 Madrid · <u>www.cepsa.com/lubricantes</u>